

Resistance-Temperature Table

Part No.:

R/T-Curve: EBS-P09

R at (25°C)= 10KΩ±1%

B25/50= 3950K±1%

T(°C)	Rmin(KΩ)	Rmax(KΩ)	Rnom(KΩ)	Tol.	T(°C)	Rmin(KΩ)	Rmax(KΩ)	Rnom(KΩ)	Tol.
-40	287.980	314.50	301.239	4.40%	105	0.561	0.606	0.583	3.84%
-39	270.020	294.50	282.261	4.34%	106	0.545	0.588	0.567	3.87%
-38	253.319	275.93	264.624	4.27%	107	0.529	0.572	0.550	3.90%
-37	237.779	258.67	248.226	4.21%	108	0.513	0.555	0.534	3.93%
-36	223.312	242.63	232.969	4.15%	109	0.499	0.540	0.519	3.96%
-35	209.835	227.70	218.766	4.08%	110	0.484	0.524	0.504	3.99%
-34	197.275	213.80	205.538	4.02%	111	0.471	0.510	0.491	4.01%
-33	185.562	200.86	193.210	3.96%	112	0.458	0.497	0.477	4.04%
-32	174.633	188.80	181.714	3.90%	113	0.446	0.484	0.465	4.07%
-31	164.430	177.55	170.990	3.84%	114	0.434	0.471	0.452	4.09%
-30	154.899	167.06	160.978	3.78%	115	0.422	0.458	0.440	4.12%
-29	146.030	157.30	151.667	3.72%	116	0.411	0.446	0.429	4.15%
-28	137.735	148.19	142.964	3.66%	117	0.400	0.435	0.417	4.17%
-27	129.973	139.68	134.826	3.60%	118	0.389	0.424	0.406	4.20%
-26	122.706	131.72	127.211	3.54%	119	0.379	0.413	0.396	4.23%
-25	115.899	124.27	120.082	3.48%	120	0.369	0.402	0.386	4.25%
-24	109.519	117.29	113.405	3.43%	121	0.359	0.391	0.375	4.28%
-23	103.538	110.76	107.149	3.37%	122	0.349	0.381	0.365	4.31%
-22	97.927	104.64	101.284	3.31%	123	0.340	0.371	0.355	4.34%
-21	92.661	98.90	95.782	3.26%	124	0.331	0.361	0.346	4.36%
-20	87.717	93.521	90.619	3.20%	125	0.322	0.351	0.336	4.39%
-19	82.981	88.373	85.677	3.15%	126	0.313	0.342	0.328	4.42%
-18	78.536	83.545	81.041	3.09%	127	0.305	0.333	0.319	4.44%
-17	74.360	79.016	76.688	3.04%	128	0.297	0.324	0.311	4.47%
-16	70.436	74.765	72.600	2.98%	129	0.289	0.316	0.302	4.50%
-15	66.747	70.773	68.760	2.93%	130	0.281	0.308	0.295	4.52%
-14	63.278	67.022	65.150	2.87%	131	0.274	0.301	0.288	4.55%
-13	60.014	63.496	61.755	2.82%	132	0.268	0.294	0.281	4.57%
-12	56.941	60.181	58.561	2.77%	133	0.262	0.287	0.274	4.59%
-11	54.047	57.063	55.555	2.71%	134	0.255	0.280	0.268	4.62%
-10	51.321	54.128	52.724	2.66%	135	0.249	0.274	0.261	4.64%

R at (25°C)= 10KΩ±1%

B25/50= 3950K±1%

T(°C)	Rmin(KΩ)	Rmax(KΩ)	Rnom(KΩ)	Tol.	T(°C)	Rmin(KΩ)	Rmax(KΩ)	Rnom(KΩ)	Tol.
-9	48.752	51.365	50.058	2.61%	136	0.243	0.267	0.255	4.67%
-8	46.330	48.762	47.546	2.56%	137	0.238	0.261	0.249	4.69%
-7	44.044	46.310	45.177	2.51%	138	0.232	0.255	0.244	4.71%
-6	41.888	43.998	42.943	2.46%	139	0.227	0.249	0.238	4.73%
-5	39.852	41.817	40.834	2.41%	140	0.222	0.244	0.233	4.76%
-4	37.923	39.753	38.838	2.36%	141	0.216	0.238	0.227	4.78%
-3	36.100	37.805	36.952	2.31%	142	0.211	0.233	0.222	4.81%
-2	34.378	35.966	35.172	2.26%	143	0.206	0.227	0.217	4.83%
-1	32.749	34.228	33.489	2.21%	144	0.201	0.222	0.212	4.85%
0	31.209	32.587	31.898	2.16%	145	0.197	0.217	0.207	4.88%
1	29.736	31.019	30.377	2.11%	146	0.192	0.212	0.202	4.90%
2	28.343	29.536	28.939	2.06%	147	0.187	0.207	0.197	4.92%
3	27.024	28.135	27.579	2.01%	148	0.183	0.202	0.193	4.95%
4	25.775	26.809	26.292	1.97%	149	0.179	0.198	0.188	4.97%
5	24.593	25.555	25.074	1.92%	150	0.175	0.193	0.184	4.99%
6	23.439	24.333	23.886	1.87%	151	0.171	0.189	0.180	5.02%
7	22.347	23.177	22.762	1.82%	152	0.167	0.184	0.176	5.04%
8	21.314	22.084	21.699	1.77%	153	0.163	0.180	0.172	5.06%
9	20.335	21.049	20.692	1.73%	154	0.159	0.176	0.168	5.09%
10	19.407	20.070	19.739	1.68%	155	0.155	0.172	0.164	5.11%
11	18.527	19.142	18.835	1.63%	156	0.152	0.168	0.160	5.13%
12	17.693	18.263	17.978	1.59%	157	0.148	0.165	0.157	5.15%
13	16.902	17.430	17.166	1.54%	158	0.145	0.161	0.153	5.18%
14	16.151	16.641	16.396	1.49%	159	0.142	0.157	0.150	5.20%
15	15.438	15.892	15.665	1.45%	160	0.139	0.154	0.146	5.22%
16	14.750	15.169	14.960	1.40%	161	0.136	0.151	0.143	5.24%
17	14.096	14.484	14.290	1.36%	162	0.133	0.147	0.140	5.27%
18	13.476	13.834	13.655	1.31%	163	0.130	0.144	0.137	5.29%
19	12.887	13.218	13.052	1.27%	164	0.127	0.141	0.134	5.31%
20	12.328	12.632	12.480	1.22%	165	0.124	0.138	0.131	5.33%
21	11.791	12.072	11.932	1.18%	166	0.121	0.135	0.128	5.35%
22	11.282	11.541	11.411	1.13%	167	0.119	0.132	0.125	5.37%
23	10.798	11.036	10.917	1.09%	168	0.116	0.129	0.123	5.40%
24	10.338	10.556	10.447	1.04%	169	0.114	0.127	0.120	5.42%

R at (25°C)= 10KΩ±1%

B25/50= 3950K±1%

T(°C)	Rmin(KΩ)	Rmax(KΩ)	Rnom(KΩ)	Tol.	T(°C)	Rmin(KΩ)	Rmax(KΩ)	Rnom(KΩ)	Tol.
25	9.900	10.100	10.000	1.00%	170	0.111	0.124	0.118	5.44%
26	9.476	9.676	9.576	1.04%	171	0.109	0.122	0.115	5.46%
27	9.073	9.272	9.173	1.09%	172	0.107	0.119	0.113	5.48%
28	8.690	8.888	8.789	1.13%	173	0.104	0.117	0.111	5.50%
29	8.325	8.522	8.423	1.17%	174	0.102	0.114	0.108	5.52%
30	7.977	8.173	8.075	1.21%	175	0.100	0.112	0.106	5.54%
31	7.640	7.834	7.737	1.26%	176	0.098	0.110	0.104	5.56%
32	7.319	7.511	7.415	1.30%	177	0.096	0.107	0.102	5.58%
33	7.013	7.204	7.109	1.34%	178	0.094	0.105	0.100	5.60%
34	6.722	6.911	6.816	1.38%	179	0.092	0.103	0.098	5.62%
35	6.445	6.631	6.538	1.42%	180	0.090	0.101	0.096	5.64%
36	6.183	6.367	6.275	1.47%	181	0.089	0.099	0.094	5.66%
37	5.933	6.115	6.024	1.51%	182	0.087	0.097	0.092	5.68%
38	5.695	5.874	5.785	1.55%	183	0.085	0.095	0.090	5.70%
39	5.468	5.645	5.556	1.59%	184	0.083	0.094	0.089	5.72%
40	5.251	5.425	5.338	1.63%	185	0.082	0.092	0.087	5.74%
41	5.041	5.212	5.127	1.67%	186	0.080	0.090	0.085	5.76%
42	4.841	5.009	4.925	1.71%	187	0.079	0.088	0.084	5.78%
43	4.650	4.815	4.733	1.75%	188	0.077	0.087	0.082	5.80%
44	4.467	4.630	4.549	1.79%	189	0.076	0.085	0.080	5.82%
45	4.293	4.453	4.373	1.83%	190	0.074	0.083	0.079	5.84%
46	4.125	4.281	4.203	1.87%	191	0.073	0.082	0.077	5.86%
47	3.964	4.118	4.041	1.91%	192	0.071	0.080	0.076	5.88%
48	3.810	3.961	3.886	1.95%	193	0.070	0.079	0.074	5.89%
49	3.663	3.811	3.737	1.98%	194	0.069	0.077	0.073	5.91%
50	3.515	3.660	3.588	2.01%	195	0.067	0.076	0.072	5.93%
51	3.389	3.532	3.461	2.06%	196	0.066	0.075	0.070	5.95%
52	3.262	3.401	3.332	2.10%	197	0.065	0.073	0.069	5.97%
53	3.139	3.277	3.208	2.14%	198	0.064	0.072	0.068	5.99%
54	3.023	3.157	3.090	2.17%	199	0.063	0.071	0.067	6.01%
55	2.911	3.042	2.977	2.21%	200	0.061	0.069	0.065	6.02%
56	2.803	2.932	2.868	2.25%	201	0.060	0.068	0.064	6.04%
57	2.701	2.827	2.764	2.29%	202	0.059	0.067	0.063	6.06%
58	2.602	2.726	2.664	2.32%	203	0.058	0.066	0.062	6.08%

R at (25°C)= 10KΩ±1%

B25/50= 3950K±1%

T(°C)	Rmin(KΩ)	Rmax(KΩ)	Rnom(KΩ)	Tol.	T(°C)	Rmin(KΩ)	Rmax(KΩ)	Rnom(KΩ)	Tol.
59	2.508	2.629	2.568	2.36%	204	0.057	0.064	0.061	6.10%
60	2.418	2.536	2.477	2.40%	205	0.056	0.063	0.060	6.12%
61	2.332	2.449	2.390	2.43%	206	0.055	0.062	0.058	6.14%
62	2.251	2.364	2.308	2.47%	207	0.054	0.061	0.057	6.15%
63	2.172	2.284	2.228	2.50%	208	0.053	0.060	0.056	6.17%
64	2.097	2.206	2.151	2.54%	209	0.052	0.059	0.055	6.19%
65	2.025	2.132	2.078	2.57%	210	0.051	0.058	0.054	6.21%
66	1.954	2.059	2.007	2.61%	211	0.050	0.057	0.053	6.23%
67	1.887	1.989	1.938	2.64%	212	0.049	0.056	0.052	6.24%
68	1.822	1.922	1.872	2.68%	213	0.048	0.055	0.051	6.26%
69	1.760	1.858	1.809	2.71%	214	0.047	0.054	0.051	6.28%
70	1.700	1.796	1.748	2.74%	215	0.047	0.053	0.050	6.30%
71	1.643	1.737	1.690	2.78%	216	0.046	0.052	0.049	6.32%
72	1.589	1.681	1.635	2.81%	217	0.045	0.051	0.048	6.33%
73	1.537	1.627	1.582	2.84%	218	0.044	0.050	0.047	6.35%
74	1.487	1.575	1.531	2.88%	219	0.043	0.049	0.046	6.37%
75	1.439	1.525	1.482	2.91%	220	0.043	0.048	0.045	6.39%
76	1.390	1.474	1.432	2.94%	221	0.042	0.048	0.045	6.40%
77	1.343	1.426	1.384	2.98%	222	0.041	0.047	0.044	6.42%
78	1.298	1.379	1.339	3.01%	223	0.040	0.046	0.043	6.44%
79	1.255	1.334	1.295	3.04%	224	0.040	0.045	0.042	6.46%
80	1.214	1.291	1.252	3.08%	225	0.039	0.044	0.042	6.47%
81	1.174	1.250	1.212	3.11%	226	0.038	0.044	0.041	6.49%
82	1.137	1.210	1.173	3.14%	227	0.038	0.043	0.041	6.50%
83	1.100	1.172	1.136	3.17%	228	0.037	0.043	0.040	6.52%
84	1.065	1.136	1.100	3.21%	229	0.037	0.042	0.039	6.53%
85	1.031	1.100	1.066	3.24%	230	0.036	0.041	0.039	6.55%
86	0.999	1.066	1.033	3.27%	231	0.036	0.041	0.038	6.56%
87	0.968	1.034	1.001	3.30%	232	0.035	0.040	0.038	6.57%
88	0.938	1.002	0.970	3.33%	233	0.035	0.040	0.037	6.59%
89	0.909	0.972	0.940	3.36%	234	0.034	0.039	0.037	6.60%
90	0.881	0.943	0.912	3.39%	235	0.034	0.038	0.036	6.62%
91	0.853	0.914	0.884	3.43%	236	0.033	0.038	0.036	6.63%
92	0.827	0.886	0.857	3.46%	237	0.033	0.037	0.035	6.65%

R at (25°C)= 10KΩ±1%

B25/50= 3950K±1%

T(°C)	Rmin(KΩ)	Rmax(KΩ)	Rnom(KΩ)	Tol.	T(°C)	Rmin(KΩ)	Rmax(KΩ)	Rnom(KΩ)	Tol.
93	0.802	0.860	0.831	3.49%	238	0.032	0.037	0.035	6.66%
94	0.777	0.834	0.806	3.52%	239	0.032	0.036	0.034	6.67%
95	0.754	0.809	0.781	3.55%	240	0.031	0.036	0.034	6.69%
96	0.731	0.786	0.758	3.58%	241	0.031	0.035	0.033	6.70%
97	0.710	0.763	0.737	3.61%	242	0.031	0.035	0.033	6.72%
98	0.689	0.741	0.715	3.64%	243	0.030	0.034	0.032	6.73%
99	0.669	0.720	0.695	3.67%	244	0.030	0.034	0.032	6.74%
100	0.650	0.700	0.675	3.69%	245	0.029	0.033	0.031	6.76%
101	0.631	0.680	0.655	3.72%	246	0.029	0.033	0.031	6.77%
102	0.613	0.660	0.636	3.75%	247	0.028	0.033	0.031	6.78%
103	0.595	0.642	0.618	3.78%	248	0.028	0.032	0.030	6.80%
104	0.578	0.623	0.601	3.81%	249	0.028	0.032	0.030	6.81%
					250	0.027	0.031	0.029	6.82%